



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,086	02/25/2004	Shan-An Yang	BHT-3111-424	8531
7590		09/09/2008	EXAMINER	
BRUCE H. TROXELL			FARAGALLA, MICHAEL A	
SUITE 1404			ART UNIT	PAPER NUMBER
5205 LEESBURG PIKE			2617	
FALLS CHURCH, VA 22041				
			MAIL DATE	DELIVERY MODE
			09/09/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/785,086	Applicant(s) YANG ET AL.
	Examiner MICHAEL FARAGALLA	Art Unit 2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If no period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED. (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 07 May 2008.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1,4-15 and 18-22 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1,4-15 and 18-22 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
 3) Information Disclosure Statement(s) (PTO/96/08)
Paper No(s)/Mail Date _____

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date _____

5) Notice of Informal Patent Application
 6) Other: _____

DETAILED ACTION

1. This action is in response to the amendment filed on 05/20/2008. This action is made **FINAL**.

Response to Arguments

2. Applicant's arguments filed on 05/20/2008 have been fully considered but they are not persuasive.

Applicant argues that Vialle et al fail to teach the claimed feature recited in claim 1 and 11 that "a ratio is determined by dividing the number of the received packets with the number of the transmitted packets". However, Examiner respectfully disagrees with applicant regarding this argument, because in the abstract of Vialle et al and also as pointed out to paragraphs 18-22, Vialle shows a relationship between received packets and transmitted packets in the equation shown in abstract, specifically where Y is the received symbol and X is the transmitted symbol. It would also be obvious to a person skilled in the art to inverse the relationship between X and Y to get an inverse ratio of the equation. Therefore, Examiner contends that for at least these reasons, the claimed invention is obvious with respect to prior art discussed (Boer et al; Girardeau et al and Vialle et al.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 4-8, 10-15, 18, 19, 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boer et al (publication number: US 2004/0101035) in view of Girardeau et al (Patent number: 7,099,398) and further in view of Vialle et al (EP 1 220 485 A1).

Consider **Claim 1**, Boer et al clearly shows and discloses a method for modifying a transmission rate of a wireless communication system comprising a transmitter and a receiver (figure 1), the method comprising:

- (a) Transmitting a plurality of transmitted packets at the transmission rate by the transmitter (figure 1; paragraphs 4,6,7,19 and 23).
- (b) Receiving a plurality of received packets corresponding to the transmitted packets by the receiver (figure 1; paragraph 19).

(c) Determining a state parameter according to at least a characteristic determined by the transmitted packets and the received packets (paragraph 19 and 20; abstract); (the state parameter is read as signal quality characteristic).

(d) Modifying the transmission rate according to the state parameter (figure 1; paragraphs 4, 6,7,19 and 23; abstract).

(e) Wherein the characteristic is determined according to a number of the transmitted packets and number of the received packets (paragraph 23).

However, Boer et al show modifying the transmission rate but do not specifically show adjusting the transmission rate.

In the same field of endeavor, Girardeau et al clearly show adjusting the transmission rate (abstract; column 2, lines 47-67).

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to incorporate the teaching of Girardeau et al into the teaching of Boer et al in order to ensure reliability of data transmission within a wireless communication system (Boer et al; paragraphs 4 and 5).

However, Boer et al as modified by Girardeau et al do not specifically show that the state parameter is a ratio determined by dividing the number of the received packets with the number of the transmitted packets.

In related art, Vialle et al show that the state parameter is a ratio determined by dividing the number of the received packets with the number of the transmitted packets (abstract; paragraphs 18-22); (An information packet is received and if the packet has error, re-transmission of packet is requested until there is no error. The re-transmitted

packets are then received. Channel observations (p(y divided by x, alpha)), where y is the received symbol, x is transmitted symbol and alpha is the Rayleigh fading, are derived for received packets and are combined to form a combined channel observation used for subsequent turbo decoding).

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to incorporate the teaching of Vialle et al into the teaching of Boer et al and Girardeau et al in order to form a combined channel observation (Vialle et al; abstract; paragraphs 20 and 21).

Consider **Claim 11**, Boer et al clearly shows and discloses a method for modifying a transmission rate of a wireless communication system comprising a transmitter and a receiver (figure 1), the method comprising:

- (a) Transmitting a plurality of first transmitted packets at a first transmission rate and a plurality of second transmitted packets at a second transmission rate by the transmitter (figure 1; paragraphs 4,6,7,19 and 23); (based on signal quality characteristic, the transmission rate is modified. Therefore, the transmission rate before modifying is read as first transmission rate, and the transmission rate after modifying is read as second transmission rate).
- (b) Receiving a plurality of first received packets corresponding to the first transmitted packets and a plurality of second received packets corresponding to the second transmitted packets by the receiver (figure 1; paragraph 19).

(c) Determining a first state parameter according to at least one first characteristic determined by the first transmitted packets and the first received packets (paragraph 19 and 20; abstract); (the state parameter is read as signal quality characteristic).

(d) Determining a second state parameter according to at least one second characteristic determined by the second transmitted packets and the second received packets (paragraphs 19, 20, and 23; abstract); (Boer et al show that modifying a data rate of the transmitter depends at least in part on the signal quality, therefore, the first sent packets are sent at a rate different from the later sent packets).

(e) Modifying at least one of the first and the second transmission rates according to at least one of the first and second state parameters (figure 1; paragraphs 4,6,7,19 and 23; abstract).

(f) Wherein the characteristic is determined according to a number of the transmitted packets and number of the received packets (paragraph 23).

However, Boer et al show modifying the transmission rate but do not specifically show adjusting the transmission rate.

In the same field of endeavor, Girardeau et al clearly show adjusting the transmission rate (abstract; column 2, lines 47-67).

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to incorporate the teaching of Girardeau et al into the teaching of Boer et al in order to ensure reliability of data transmission within a wireless communication system (Boer et al; paragraphs 4 and 5).

However, Boer et al as modified by Girardeau et al do not specifically show that the state parameter is a ratio determined by dividing the number of the received packets with the number of the transmitted packets.

In related art, Vialle et al show that the state parameter is a ratio determined by dividing the number of the received packets with the number of the transmitted packets (abstract; paragraphs 18-22); (An information packet is received and if the packet has error, re-transmission of packet is requested until there is no error. The re-transmitted packets are then received. Channel observations ($p(y$ divided by x , α)), where y is the received symbol, x is transmitted symbol and α is the Rayleigh fading, are derived for received packets and are combined to form a combined channel observation used for subsequent turbo decoding).

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to incorporate the teaching of Vialle et al into the teaching of Boer et al and Girardeau et al in order to form a combined channel observation (Vialle et al; abstract; paragraphs 20 and 21).

Consider **Claim 4**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 1 wherein the characteristic is determined according to the signal strength of the received packets (paragraphs 19 and 20).

Consider Claim 5, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 4 wherein the state parameter is a value corresponding to the signal strength of the received packets (paragraphs 19 and 20).

Consider **Claims 6**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 1 wherein the modifying step is performed according to a comparison result of the state parameter and at least a threshold value (paragraphs 43 and 44).

Consider **Claims 7 and 8**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 6, wherein the modifying step further comprises increasing the transmission rate if the state parameter is larger than a first threshold, and further wherein the adjusting step further comprises decreasing the transmission rate if the state parameter is smaller than a second threshold (paragraphs 43 and 44).

Consider **Claims 10 and 22**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 1, as well as the method of claim 11 wherein the characteristic is determined according to at least one of the number of times of transmitting the first and the second transmitted packets (paragraph 23); (the characteristic is read as the number of packets received at receiver side).

Consider **Claim 12**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 11 wherein the modifying step is performed according to a comparison result of the first state parameter and a first threshold (paragraph 44).

Consider **Claim 13**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 12 wherein the modifying step further comprises increasing at least one of the first and second transmission rates if the first state parameter is larger than the first threshold (paragraph 44).

Consider **Claim 14**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 11 wherein the modifying step is performed according to a comparison result of the second state parameter and a second threshold (read as predefined number of packets) (paragraph 23).

Consider **Claim 15**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al do not specifically show the method of claim 14 wherein the modifying step further comprises decreasing at least one of the first and the second transmission rates if the second state parameter is smaller than the second threshold.

However, in the same field of endeavor, Girardeau et al show that the method of claim 14 wherein the modifying step further comprises decreasing at least one of the first and the second transmission rates if the second state parameter is smaller than the second

threshold (claim 5); (Girardeau et al show that the transmission rate is lowered if the first transmission rate did not give a satisfying error rate).

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to incorporate the teaching of Girardeau et al into the teaching of Boer et al in order to ensure reliability of data transmission within a wireless communication system.

Consider **Claim 18**, Vialle et al shows the method of claim 11, wherein the second state parameter is a ratio determined by dividing a number of the second received packets with a number of the second transmitted packets (abstract; paragraphs 18-22); (An information packet is received and if the packet has error, re-transmission of packet is requested until there is no error. The re-transmitted packets are then received.

Channel observations ($p(y \text{ divided by } x, \alpha)$), where y is the received symbol, x is transmitted symbol and alpha is the Rayleigh fading, are derived for received packets and are combined to form a combined channel observation used for subsequent turbo decoding).

Consider **Claim 19**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 11 wherein the characteristic is determined according to the signal strength of at least one of the first and the second received packets (paragraphs 19 and 20).

Consider **Claim 21**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al clearly show the method of claim 11 wherein the first transmitted packets and the second transmitted packets are transmitted by turns (paragraphs 43 and 44).

5. Claims **9 and 20** are rejected under 35 U.S.C. 103(a) as being unpatentable over Boer et al (publication number: US 2004/0101035) in view of Girardeau et al (Patent number: 7,099,398) in view of Girardeau et al (Patent number: 7,099,398) and further in view of Adachi (Publication number: 2001/0022806).

Consider **Claims 9 and 20**, Boer et al as modified by Girardeau et al and as further modified by Vialle et al show the method of claim 1, as well as the method of claim 11, but fail to specifically show that the step of determining whether to use a RTS/CTS mechanism according to at least one of the first and second state parameters. However, in related art, Adachi shows that the step of determining whether to use a RTS/CTS mechanism according to at least one of the first and second state parameters (paragraph 110).

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to incorporate the teaching of Adachi into the teaching of Boer et al, Girardeau et al, and Vialle et al in order to improve the throughput of the network system (Adachi, abstract).

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL FARAGALLA whose telephone number is (571)270-1107. The examiner can normally be reached on Mon-Fri 7:30 am-5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on 571-272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George Eng/
Supervisory Patent Examiner, Art Unit 2617

/Michael Faragalla/
Examiner, Art Unit 2617

09/5/2008